



DEVIreg™ Smart

Wi-Fi

DEVI® 

•

1	2	..
2		4	..
3		6	..
4		8	..
5	•	12	
6	•	17	..
7	• •	17	..
8	•	21	..
9		21	..

1

DEVIreg™ Smart —

•

•

•

).

•

•

(NTC)

•

•

•

10

•

•

Smart

DEVIreg™
Wi


-Fi

-
: devismart .com

2

	220-240 ~, 50/60
	.0,40
:	.16 (3680) 230 .1 A cos = 0,3
	NTC 6,8 25 °C NTC 10 25 °C NTC 12 25 °C NTC 15 25 °C (-) NTC 33 25 °C NTC 47 25 °C
(0 °C 20 °C 50 °C	: NTC 15) 42 18 6
	PWM (-)

	0 +30 °C
	+5 °C +9 °C (5 °C)
	: 5-35 °C. : 5-45 °C. : 20-35 °C (20-45 °C). : 10-35 °C,
(')	1 x 4 ² 2 x 2,5 ²
	75 °C
	2 ()
	1C

-	A
	-20...+65 °C
IP	21
	II – () 
	85 x 85 x 20–24 (: 22)
	127

EN/IEC "Automatic electrical controls for household and similar use" (-

):

- EN/IEC 60730-1 ()
- EN/IEC 60730-2-9 ()

3

€ !

35 °C.

•

•

•

•

•

8

•

•

(80–170).





3

IP


50



2



- 1.
- 2.



- 3.

- 4.



5.


€ ! •f



15

24

5 •



"		...
1	/	
2	/	
3	/	
4		3- 7- -

	† /•	...
-		
		-
		.) (
-		.) WiFi (

	-	-
-		

‡	^	...
-	1. -	
	2. (1)	-
-	1. -	-
	2. (1)	- , -
	(2)	()
	(3)	()

	<p>(1)</p> <p>1</p>	
	<p>(2)</p> <p>3</p>	<p>-</p> <p>(3)</p>
	<p>(1)</p> <p>5</p>	<p>(2)</p>
<p>“</p> <p>’</p> <p>”</p>	<p>(1)</p> <p>1</p> <p>’</p> <p>”</p>	<p>“</p> <p>’</p> <p>/</p> <p>-</p>

-	"	...	†•	-
...	E1		-	-
^	E2		-	-
-	E3		-	-
•	E4		-	-

6 •

•
 App Store Google Play,
 devismart.com.

DEVIsmart™



DEVIsmart™ App






Smart DEVIreg™
 "—" DEVIreg™ Smart

7 • •

%Š(œ ... %Ž' % œ "••œ%" € %••‘

...) (—
 (...) .



%Š (CE ...!

35 °C.

(10 °C)

[°/]	-	3 /	25 °C
0,05	8 (-)	> 800	28 °C
0,10	14	650–800	31 °C
0,13	22	> 800	32 °C
< 0,17	.	EN 1307	34 °C
0,18	22	450–650	35 °C

8 •



DEVI, -

9 •

